

clamp

# Table of Contents

- 1. Overview ..... 1
  - 1.1. Version information ..... 1
  - 1.2. URI scheme..... 1
- 2. Paths ..... 2
  - 2.1. PUT /clds/action/{action}/{modelName} ..... 2
    - 2.1.1. Description ..... 2
    - 2.1.2. Parameters ..... 2
    - 2.1.3. Responses ..... 2
    - 2.1.4. Consumes ..... 2
    - 2.1.5. Produces ..... 2
  - 2.2. GET /clds/cldsDetails ..... 2
    - 2.2.1. Responses ..... 2
    - 2.2.2. Produces ..... 3
  - 2.3. GET /clds/cldsInfo ..... 3
    - 2.3.1. Responses ..... 3
    - 2.3.2. Produces ..... 3
  - 2.4. POST /clds/dcae/event ..... 3
    - 2.4.1. Description ..... 3
    - 2.4.2. Parameters ..... 3
    - 2.4.3. Responses ..... 3
    - 2.4.4. Consumes ..... 4
    - 2.4.5. Produces ..... 4
  - 2.5. PUT /clds/deploy/{modelName}. ..... 4
    - 2.5.1. Parameters ..... 4
    - 2.5.2. Responses ..... 4
    - 2.5.3. Consumes ..... 4
    - 2.5.4. Produces ..... 4
  - 2.6. GET /clds/healthcheck ..... 4
    - 2.6.1. Description ..... 4
    - 2.6.2. Responses ..... 4
    - 2.6.3. Produces ..... 5
  - 2.7. GET /clds/model-names ..... 5
    - 2.7.1. Description ..... 5
    - 2.7.2. Responses ..... 5
    - 2.7.3. Produces ..... 5
  - 2.8. GET /clds/model/bpmn/{modelName} ..... 5

2.8.1. Description .....	5
2.8.2. Parameters .....	5
2.8.3. Responses .....	5
2.8.4. Produces .....	6
2.9. GET /clds/model/image/{modelName} .....	6
2.9.1. Description .....	6
2.9.2. Parameters .....	6
2.9.3. Responses .....	6
2.9.4. Produces .....	6
2.10. GET /clds/model/{modelName} .....	6
2.10.1. Description .....	6
2.10.2. Parameters .....	6
2.10.3. Responses .....	7
2.10.4. Produces .....	7
2.11. PUT /clds/model/{modelName} .....	7
2.11.1. Description .....	7
2.11.2. Parameters .....	7
2.11.3. Responses .....	7
2.11.4. Consumes .....	7
2.11.5. Produces .....	7
2.12. GET /clds/properties .....	8
2.12.1. Description .....	8
2.12.2. Responses .....	8
2.12.3. Produces .....	8
2.13. GET /clds/properties/{serviceInvariantUUID} .....	8
2.13.1. Description .....	8
2.13.2. Parameters .....	8
2.13.3. Responses .....	8
2.13.4. Produces .....	8
2.14. GET /clds/sdc/services .....	9
2.14.1. Description .....	9
2.14.2. Responses .....	9
2.14.3. Produces .....	9
2.15. PUT /clds/undeploy/{modelName} .....	9
2.15.1. Parameters .....	9
2.15.2. Responses .....	9
2.15.3. Consumes .....	9
2.15.4. Produces .....	9

2.16. GET /cldsTempate/template-names .....	10
2.16.1. Description .....	10
2.16.2. Responses .....	10
2.16.3. Produces .....	10
2.17. GET /cldsTempate/template/bpmn/{templateName} .....	10
2.17.1. Description .....	10
2.17.2. Parameters .....	10
2.17.3. Responses .....	10
2.17.4. Produces .....	10
2.18. GET /cldsTempate/template/image/{templateName} .....	11
2.18.1. Description .....	11
2.18.2. Parameters .....	11
2.18.3. Responses .....	11
2.18.4. Produces .....	11
2.19. GET /cldsTempate/template/{templateName} .....	11
2.19.1. Description .....	11
2.19.2. Parameters .....	11
2.19.3. Responses .....	11
2.19.4. Produces .....	12
2.20. PUT /cldsTempate/template/{templateName} .....	12
2.20.1. Description .....	12
2.20.2. Parameters .....	12
2.20.3. Responses .....	12
2.20.4. Consumes .....	12
2.20.5. Produces .....	12
2.21. GET /user/{userName} .....	12
2.21.1. Description .....	12
2.21.2. Parameters .....	12
2.21.3. Responses .....	13
2.21.4. Produces .....	13
3. Definitions .....	14
3.1. CldsEvent .....	14
3.2. CldsHealthCheck .....	14
3.3. CldsInfo .....	14
3.4. CldsModel .....	15
3.5. CldsModelInstance .....	16
3.6. CldsMonitoringDetails .....	16
3.7. CldsTemplate .....	17

3.8. DcaeEvent.....	18
3.9. ValueItem.....	18

# Chapter 1. Overview

## 1.1. Version information

*Version* : 2.0.0-SNAPSHOT

## 1.2. URI scheme

*BasePath* : /clamp/restservices/clds/v1

*Schemes* : HTTP

# Chapter 2. Paths

## 2.1. PUT /clds/action/{action}/{modelName}

### 2.1.1. Description

REST service that saves and processes an action for a CLDS model by name.

### 2.1.2. Parameters

Type	Name	Schema
Path	<b>action</b> <i>required</i>	string
Path	<b>modelName</b> <i>required</i>	string
Query	<b>test</b> <i>required</i>	string
Body	<b>body</b> <i>required</i>	<a href="#">CldsModel</a>

### 2.1.3. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsModel</a>
500	Internal Server Error	<a href="#">CldsModel</a>

### 2.1.4. Consumes

- [application/json](#)

### 2.1.5. Produces

- [application/json](#)

## 2.2. GET /clds/cldsDetails

### 2.2.1. Responses

HTTP Code	Description	Schema
200	OK	< <a href="#">CldsMonitoringDetails</a> > array

### 2.2.2. Produces

- `application/json`

## 2.3. GET /clds/cldsInfo

### 2.3.1. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsInfo</a>

### 2.3.2. Produces

- `application/json`

## 2.4. POST /clds/dcae/event

### 2.4.1. Description

REST service that accepts events for a model.

### 2.4.2. Parameters

Type	Name	Schema
Query	<b>test</b> <i>required</i>	string
Body	<b>body</b> <i>required</i>	<a href="#">DcaeEvent</a>

### 2.4.3. Responses

HTTP Code	Description	Schema
200	OK	string



## 2.4.4. Consumes

- `application/json`

## 2.4.5. Produces

- `application/json`

# 2.5. PUT /clds/deploy/{modelName}

## 2.5.1. Parameters

Type	Name	Schema
Path	<b>modelName</b> <i>required</i>	string
Body	<b>body</b> <i>required</i>	<a href="#">CldsModel</a>

## 2.5.2. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsModel</a>
500	Internal Server Error	<a href="#">CldsModel</a>

## 2.5.3. Consumes

- `application/json`

## 2.5.4. Produces

- `application/json`

# 2.6. GET /clds/healthcheck

## 2.6.1. Description

REST service that retrieves clds healthcheck information.

## 2.6.2. Responses

HTTP Code	Description	Schema
200	OK	CldsHealthCheck
500	Internal Server Error	CldsHealthCheck

### 2.6.3. Produces

- `application/json`

## 2.7. GET /clds/model-names

### 2.7.1. Description

REST service that retrieves a list of CLDS model names.

### 2.7.2. Responses

HTTP Code	Description	Schema
200	OK	< <a href="#">ValueItem</a> > array

### 2.7.3. Produces

- `application/json`

## 2.8. GET /clds/model/bpmn/{modelName}

### 2.8.1. Description

REST service that retrieves BPMN for a CLDS model name from the database. This is subset of the json getModel. This is only expected to be used for testing purposes, not by the UI.

### 2.8.2. Parameters

Type	Name	Schema
Path	<b>modelName</b> <i>required</i>	string

### 2.8.3. Responses

HTTP Code	Description	Schema
200	OK	string

## 2.8.4. Produces

- `text/xml`

## 2.9. GET /clds/model/image/{modelName}

### 2.9.1. Description

REST service that retrieves image for a CLDS model name from the database. This is subset of the json getModel. This is only expected to be used for testing purposes, not by the UI.

### 2.9.2. Parameters

Type	Name	Schema
Path	<b>modelName</b> <i>required</i>	string

### 2.9.3. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.9.4. Produces

- `text/xml`

## 2.10. GET /clds/model/{modelName}

### 2.10.1. Description

REST service that retrieves a CLDS model by name from the database.

### 2.10.2. Parameters

Type	Name	Schema
Path	<b>modelName</b> <i>required</i>	string

### 2.10.3. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsModel</a>

### 2.10.4. Produces

- `application/json`

## 2.11. PUT /clds/model/{modelName}

### 2.11.1. Description

REST service that saves a CLDS model by name in the database.

### 2.11.2. Parameters

Type	Name	Schema
Path	<b>modelName</b> <i>required</i>	string
Body	<b>body</b> <i>required</i>	<a href="#">CldsModel</a>

### 2.11.3. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsModel</a>

### 2.11.4. Consumes

- `application/json`

### 2.11.5. Produces

- `application/json`

## 2.12. GET /clds/properties

### 2.12.1. Description

REST service that retrieves total properties required by UI

### 2.12.2. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.12.3. Produces

- `application/json`

## 2.13. GET /clds/properties/{serviceInvariantUUID}

### 2.13.1. Description

REST service that retrieves total properties by using invariantUUID based on refresh and non refresh

### 2.13.2. Parameters

Type	Name	Schema	Default
Path	<b>serviceInvariantUUID</b> <i>required</i>	string	
Query	<b>refresh</b> <i>optional</i>	boolean	"false"

### 2.13.3. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.13.4. Produces

- `application/json`

## 2.14. GET /clds/sdc/services

### 2.14.1. Description

REST service that retrieves sdc services

### 2.14.2. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.14.3. Produces

- `application/json`

## 2.15. PUT /clds/undeploy/{modelName}

### 2.15.1. Parameters

Type	Name	Schema
Path	<b>modelName</b> <i>required</i>	string
Body	<b>body</b> <i>required</i>	<a href="#">CldsModel</a>

### 2.15.2. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsModel</a>
500	Internal Server Error	<a href="#">CldsModel</a>

### 2.15.3. Consumes

- `application/json`

### 2.15.4. Produces

- `application/json`

## 2.16. GET /cldsTempate/template-names

### 2.16.1. Description

REST service that retrieves a list of CLDS template names.

### 2.16.2. Responses

HTTP Code	Description	Schema
200	OK	< <a href="#">ValueItem</a> > array

### 2.16.3. Produces

- `application/json`

## 2.17. GET /cldsTempate/template/bpmn/{templateName}

### 2.17.1. Description

REST service that retrieves BPMN for a CLDS template name from the database. This is subset of the json getModel. This is only expected to be used for testing purposes, not by the UI.

### 2.17.2. Parameters

Type	Name	Schema
Path	<b>templateName</b> <i>required</i>	string

### 2.17.3. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.17.4. Produces

- `text/xml`

## 2.18. GET /cldsTempate/template/image/{templateName}

### 2.18.1. Description

REST service that retrieves image for a CLDS template name from the database. This is subset of the json getModel. This is only expected to be used for testing purposes, not by the UI.

### 2.18.2. Parameters

Type	Name	Schema
Path	<b>templateName</b> <i>required</i>	string

### 2.18.3. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.18.4. Produces

- `text/xml`

## 2.19. GET /cldsTempate/template/{templateName}

### 2.19.1. Description

REST service that retrieves a CLDS template by name from the database.

### 2.19.2. Parameters

Type	Name	Schema
Path	<b>templateName</b> <i>required</i>	string

### 2.19.3. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsTemplate</a>



## 2.19.4. Produces

- `application/json`

## 2.20. PUT /cldsTempate/template/{templateName}

### 2.20.1. Description

REST service that saves a CLDS template by name in the database.

### 2.20.2. Parameters

Type	Name	Schema
Path	<b>templateName</b> <i>required</i>	string
Body	<b>body</b> <i>required</i>	<a href="#">CldsTemplate</a>

### 2.20.3. Responses

HTTP Code	Description	Schema
200	OK	<a href="#">CldsTemplate</a>

### 2.20.4. Consumes

- `application/json`

### 2.20.5. Produces

- `application/json`

## 2.21. GET /user/{userName}

### 2.21.1. Description

REST service that returns the username.

### 2.21.2. Parameters

Type	Name	Schema
Path	<b>userName</b> <i>required</i>	string

### 2.21.3. Responses

HTTP Code	Description	Schema
200	OK	string

### 2.21.4. Produces

- `text/plain`

# Chapter 3. Definitions

## 3.1. CldsEvent

Name	Schema
<b>actionAndStateCd</b> <i>optional</i>	boolean
<b>actionCd</b> <i>optional</i>	boolean
<b>actionStateCd</b> <i>optional</i>	boolean
<b>id</b> <i>optional</i>	string
<b>processInstanceId</b> <i>optional</i>	string
<b>userid</b> <i>optional</i>	string

## 3.2. CldsHealthCheck

Name	Schema
<b>description</b> <i>optional</i>	string
<b>healthCheckComponent</b> <i>optional</i>	string
<b>healthCheckStatus</b> <i>optional</i>	string

## 3.3. CldsInfo

Name	Schema
<b>cldsVersion</b> <i>optional</i>	string
<b>permissionReadCl</b> <i>optional</i>	boolean

Name	Schema
<b>permissionReadTemplate</b> <i>optional</i>	boolean
<b>permissionUpdateCl</b> <i>optional</i>	boolean
<b>permissionUpdateTemplate</b> <i>optional</i>	boolean
<b>userName</b> <i>optional</i>	string

### 3.4. CldsModel

Name	Schema
<b>blueprintText</b> <i>optional</i>	string
<b>bpmnText</b> <i>optional</i>	string
<b>cldsModelInstanceList</b> <i>optional</i>	< <a href="#">CldsModelInstance</a> > array
<b>controlName</b> <i>optional</i>	string
<b>controlNamePrefix</b> <i>optional</i>	string
<b>controlNameUuid</b> <i>optional</i>	string
<b>deploymentId</b> <i>optional</i>	string
<b>docText</b> <i>optional</i>	string
<b>event</b> <i>optional</i>	<a href="#">CldsEvent</a>
<b>id</b> <i>optional</i>	string
<b>imageText</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string

Name	Schema
<b>permittedActionCd</b> <i>optional</i>	< string > array
<b>propText</b> <i>optional</i>	string
<b>status</b> <i>optional</i>	string
<b>templateId</b> <i>optional</i>	string
<b>templateName</b> <i>optional</i>	string
<b>typeId</b> <i>optional</i>	string
<b>typeName</b> <i>optional</i>	string

### 3.5. CldsModelInstance

Name	Schema
<b>location</b> <i>optional</i>	string
<b>modelInstanceId</b> <i>optional</i>	string
<b>vmName</b> <i>optional</i>	string

### 3.6. CldsMonitoringDetails

Name	Schema
<b>action</b> <i>optional</i>	string
<b>closeLoopName</b> <i>optional</i>	string
<b>deploymentId</b> <i>optional</i>	string
<b>modelName</b> <i>optional</i>	string

Name	Schema
<b>serviceTypeId</b> <i>optional</i>	string
<b>templateName</b> <i>optional</i>	string
<b>timestamp</b> <i>optional</i>	string
<b>userid</b> <i>optional</i>	string

### 3.7. CldsTemplate

Name	Schema
<b>bpmnId</b> <i>optional</i>	string
<b>bpmnText</b> <i>optional</i>	string
<b>bpmnUserId</b> <i>optional</i>	string
<b>controlNamePrefix</b> <i>optional</i>	string
<b>controlNameUuid</b> <i>optional</i>	string
<b>id</b> <i>optional</i>	string
<b>imageId</b> <i>optional</i>	string
<b>imageText</b> <i>optional</i>	string
<b>imageUserId</b> <i>optional</i>	string
<b>name</b> <i>optional</i>	string
<b>propId</b> <i>optional</i>	string
<b>propText</b> <i>optional</i>	string

Name	Schema
<b>propUserId</b> <i>optional</i>	string
<b>userAuthorizedToUpdate</b> <i>optional</i>	boolean

### 3.8. DcaeEvent

Name	Schema
<b>artifactName</b> <i>optional</i>	string
<b>cldsActionCd</b> <i>optional</i>	string
<b>controlName</b> <i>optional</i>	string
<b>event</b> <i>optional</i>	string
<b>instances</b> <i>optional</i>	< <a href="#">CldsModelInstance</a> > array
<b>resourceUUID</b> <i>optional</i>	string
<b>serviceUUID</b> <i>optional</i>	string

### 3.9. ValueItem

Name	Schema
<b>value</b> <i>optional</i>	string